## Series: 40112 Type: CNSS



# Stainless Steel Cage Nuts

| Part No. | Thread M | Panel Range P | Dim. A | Dim. C | Hole Size H |
|---|---|---|---|---|---|
| M4 6741 | M4 | 0.7 - 1.6 | 10.0 | 7.2 | 6.7 |
| M4 6742 | M4 | 1.8 - 2.6 | 10.0 | 8.2 | 6.7 |
| M5 8351 | M5 | 1.2 - 1.6 | 12.0 | 8.5 | 8.3 |
| M5 8352 | M5 | 1.7 - 2.5 | 12.0 | 9.5 | 8.3 |
| M5 9551 | M5 | 0.7 - 1.6 | 13.2 | 8.7 | 9.5 |
| M5 9552 | M5 | 1.7 - 2.7 | 13.2 | 9.5 | 9.5 |
| M6 8361 | M6 | 1.2 - 1.6 | 12.0 | 8.5 | 8.3 |
| M6 8362 | M6 | 1.7 - 2.5 | 12.0 | 9.5 | 8.3 |
| M6 8363 | M6 | 2.6 - 3.5 | 12.0 | 10.5 | 8.3 |
| M6 9561 | M6 | 0.7 - 1.6 | 13.2 | 8.3 | 9.5 |
| M6 9562 | M6 | 1.7 - 2.7 | 13.2 | 9.3 | 9.5 |
| M6 9563 | M6 | 2.8 - 3.5 | 13.2 | 10.2 | 9.5 |
| M8 12381 | M8 | 1.0 - 1.7 | 16.0 | 10.4 | 12.3 |
| M8 12382 | M8 | 1.8 - 3.2 | 16.0 | 12.0 | 12.3 |
| M10 12311 | M10 | 1.0-1.7 | 16.0 | 10.4 | 12.3 |
| M10 12312 | M10 | 1.8 - 3.2 | 16.0 | 12.0 | 12.3 |
| M10 14102 | M10 | 1.8-3.2 | 20.0 | 16.5 | 14.0 |

**All information is given for guidance only and designers should satisfy themselves as to the suitability of the specification by requesting samples**

**Harrison Silverdale Ltd**
Unit 1 Traso Business Park,
Callywhite Lane, Dronfield, Sheffield, S18 2XR

Tel: 01246 296 930 • Fax: 01246 296 940
Email: fasteners@harrisonsilverdale.co.uk
Internet: http://www.harrisonsilverdale.co.uk

**Continued from previous page...**

| Series: 40112 Type: CNSS |
|---|



| M10 14103 | M10 | 3.3 - 4.7 | 20.0 | 16.5 | 14.0 |
|---|---|---|---|---|---|
| M12 14122 | M12 | 1.8-3.2 | 20.0 | 16.5 | 14.0 |
| M12 14123 | M12 | 3.3 - 4.7 | 20.0 | 16.5 | 14.0 |

Cage Nuts provide a simple but effective captive nut solution. This allows the nut to be held in place so the screw can be engaged later in the assembly process, or if access is not possible from both sides. The square nut floats in the cage allowing for mis-alignement of panels in assembly. Typical aplications are 19" server cabinets and other metal enclosure cabinets.
Material: 304 Stainless Steel      Finish: Self Colour

**All information is given for guidance only and designers should satisfy themselves as to the suitability of the specification by requesting samples**